

# SUBMITTAL DATA - OUTDOOR UNIT VRA072H4M-2G VRF HEAT RECOVERY

Job:	Engineer:	
Location:	Architect:	
Schedule No.:	Date:	
System Designation:	For:   Reference   Approval   Review   Construction	

## **FEATURES**

- Three-pipe heat recovery
- Split coil heat exchanger providing continuous heating during defrost
- Hinged electrical box for ease of maintenance
- High efficiency DC Inverter scroll compressor
- Intelligent Duty Cycle operation
- · Night Silent operation

continuous neating during deliost		
SPECIFICATIONS		
PERFORMANCE		
Cooling Capacity <sup>1</sup> (Btu/h)	Nominal	72,000
	Rated <sup>2</sup>	69,000
EER	Ducted	12.00
	Non-Ducted	13.80
IEER	Ducted	22.70
	Non-Ducted	23.60
Simultaneous Heating and	Ducted	26.70
Cooling Efficiency (SCHE)	Non-Ducted	30.00
Heating Capacity <sup>1</sup> (Btu/h)		77,000
COP47	Ducted	3.69
	Non-Ducted	4.25
COP17	Ducted	2.41
	Non-Ducted	2.65
ELECTRICAL DATA		
Power Supply <sup>3</sup> (V/Hz/Ph)		460/60/3
Minimum Circuit Ampacity (A)		18.7
Maximum Overcurrent Protection (A)		30
Compressor RLA (A)		14
No. of Compressors		1
Outdoor Fan Power Input (W)		260/260
Outdoor Fan FLA (A)		0.6/0.6
GENERAL DATA		
Connection Ratio		50% to 130%
Max. # of Indoor Units		13 units
Sound Pressure Level (dBA)		59
Outdoor Fan Air Volume (cfm)		7215
Refrigerant type		R-410A
Factory refrigerant charge		28 lbs. 11 oz.
DIMENSIONS		
Unit Dimensions (in)	Height	63-1/8
	Width	49-1/2
	Depth	30-1/8
Liquid Pipe Connection (in)		1/2
Gas Pipe Connection (in)		7/8
Shipping/Net Weight (lb)		672/635



#### WARRANTY

- Compressor 10 year limited warranty
- All other components 10 year limited warranty
   \*See warranty for details

#### **NOTES**

- Cooling and Heating Capacity data is rated at the following conditions:
   Cooling: 80°FDB / 67°FWB Indoor, 95°FDB Outdoor Heating: 70°FDB Indoor, 47°FDB / 43°FWB Indoor
- 2. Complies with AHRI 1230-2014 testing standards
- 3. Operating Voltage Range: 423V to 497V







# SUBMITTAL DATA - OUTDOOR UNIT VRA072H4M-2G VRF HEAT RECOVERY

## DIMENSIONS - INCHES (MM)

